# CARONDELET, AVFD, and TPFD CEP ADMINISTRATION OF MORPINE MEDICATION IM ADMINISTRATIVE GUIDELINE

This AG is approved for use by a CEP

### **INCLUSION**

- This AG is to be used on patients that meet the Inclusion Criteria for the Management of Acute Pain: Adult & Pediatric Administrative Guidelines
- This AG is to be used as with the Management of Acute Pain: Adult & Pediatric Administrative Guidelines
- Only use this AG if an IV cannot be established

# **EXCLUSION**

- This AG cannot be used on any patient that is excluded in the Management of Acute Pain: Adult & Pediatric Administrative Guidelines
- Do not use this AG if patient is Hypotensive
- Do not use this AG if an IV or IO line has been established and/or can be established

### **Patient Excluded**

Initiate proper BLS and ALS care using the AG most appropriate for the patient's clinical presentation

OR

Contact online medical direction authority

## **Patient Included**

### **ORDERS**

CEP may administer:

# **Morphine**

0.1 mg/kg IM

<u>Adults</u>: administer 2-5 mg increments every 5 minutes, to a max total dose 15 mg. Hold for \*hypotension

<u>Children <15 years old</u>: administer 1-2 mg increments to a max total dose of 8 mg. Hold for \*hypotension

Approved: 8/3/22