

# CARONDELET, AVFD, and TPDF

## EMT ADMINISTRATION OF ALBUTEROL

### ADMINISTRATIVE GUIDELINE: ADULT AGE 15 OR OLDER

This AG is approved for use by an EMT-Basic that is approved to administer an Albuterol SVN Treatment by the District and the District's Medical Director after receiving initial training and completing a skills lab every year

#### INCLUSION

This AG can be used on adult patients (age 15 and older) that meet the Inclusion Criteria for the following Administrative Guidelines:

- o Bronchospasm (due to Asthma and Obstructive Lung Disease)
- o Anaphylaxis and Allergic Reaction – If respiratory distress with wheezing

#### EXCLUSION

This AG cannot be used on patients under the age of 15 nor any patient excluded in the following Administrative Guidelines::

- o Bronchospasm (due to Asthma and Obstructive Lung Disease)
- o Anaphylaxis and Allergic Reaction

Patient Excluded
Initiate proper BLS and ALS care using the AG most appropriate for the patient's clinical presentation OR Contact online medical direction authority

Patient Included
<b>ORDERS</b>
<u>Albuterol</u> 5mg nebulized; Single Dose Only

#### Special Notes

\* Patients that receive an Albuterol breathing treatment need to have a follow-up ALS assessment with an ALS transport.